

FIG.1

PRIOR ART





FIG.2a



449929 00000000

FIG.2b





FIG.3**DATA STRUCTURE OF DATA
WRITTEN IN BASIC LANGUAGE**

FIG.4

TAG1
TAG2
TEXT1
TAG3
TAG4
TEXT2

T09320 0204280

T09020"02042000

FIG.7

STYLE SHEET

```
<HTML>
<HEAD><TITLE>$K1.NAME$</TITLE></HEAD>
<BODY BACKGROUND=bg.gif>
$R1$<BR>
<IMG SRC=$R2.SRC$>
<A HREF=$R3.HREF$>$R3</A>
<A HREF=$R4.HREF$>$R4</A>
</BODY>
</HTML>
```

FIG.8




FIG.9




FIG.10





FIG.15

TAG NUMBER	5
TAG TYPE	A
NUMBER OF ATTRIBUTES	2
ATTRIBUTE NAME-1	KEY
ATTRIBUTE VALUE-1	R4
ATTRIBUTE NAME-2	HREF
ATTRIBUTE VALUE-2	BBS. KSP
TEXT	BBS
SUBSEQUENT TAG NUMBER	0(NO CORRESPONDING TAG)
TAG NUMBER FOR CHILD TAG	0(NO CORRESPONDING TAG)

FIG.16



102020-02072200

FIG.17

```
<HTML>
<HEAD><TITLE>KSP SAMPLE</TITLE></HEAD>
<BODY BACKGROUND=bg.gif>
  SELECT THE MENU<BR>
  <IMG SRC=ICOM.JPG>
  <A HREF=MAIL.KSP> MAIL</A>
  <A HREF=BBS.KSP> BBS</A>
</BODY>
</HTML>
```

109020 05042550

FIG.18




FIG.19A




FIG.19B




FIG.20

```
<HTML VERSION=3.0>  
<DISPLAY>  
  SELECT THE MENU<BR>  
  <IMG SRC=ICOM.BMP><BR>  
  <A TASK=GO DEST=MAIL.KSP ACCESSKEY=1>MAIL </A><BR>  
  <A TASK=GO DEST=BBS.KSP ACCESSKEY=2>BBS </A><BR>  
</DISPLAY>  
</HTML>
```

FIG.21




FIG.22




FIG.23




FIG.24




FIG.25

